



Stock Program

MDF 2020/10



OVERVIEW OF BRANDS & PRODUCT TYPES IN OUR STOCK PROGRAM **P.4**

STOCK OVERVIEW PER PRODUCT TYPE

MDF Standard

MDF Standard P.6

MDF Standard - Ultralight P.9

MDF Standard - High Density P.10

MDF Moisture resistant (MR) P.12

MDF Fire retardant (FR) P.14

MDF Coloured in core P.16

MDF Lacquered coloured in core P.18

MDF Ready-to-paint P.20

MDF Non-added Formaldehyde (NAF) P.22

Compact Density Fibreboard P.23







STOCK OVERVIEW OF SPECIFIC RANGES










Substrates for bonding HPL - panel size 1310 x 3050 mm / 1310 x 3060 mm P.24

Panel size 2070 x 2800 mm P.26

ChemVerbotsV compliant products (Germany) P.29

OVERVIEW: BRANDS & PRODUCT TYPES IN OUR STOCK PROGRAM

				
	STANDARD	MOISTURE RESISTANT (MR)	FIRE RETARDANT (FR)	
				
COMPACT DENSITY				
HIGH DENSITY	Fibralux	Fibromax Fibromax Pro Fibromax Pro LF Fibromax Pro FI LF+	Fibralux MR Fibromax MR Fibromax MR Uncoloured	Fibralux FR
STANDARD DENSITY	Fibrabel Fibrabel LF+	Fibrofit	Fibrabel MR Fibrofit MR	Fibrabel FR Fibrabel FR Uncoloured
LOW DENSITY	Fibrabel Ultralight			

				
COLOURED IN CORE	LACQUERED COLOURED IN CORE	READY TO PAINT	NON-ADDED FORMALDEHYDE (NAF)	COMPACT DENSITY FIBREBOARD
				<p>Fibromax Compact MR Black</p>
<p>Fibralux MR Black</p> <p>Fibralux MR Grey</p> <p>Fibralux FR Black</p>	<p>Fibralux MR Black: Satin High Gloss Super Matt</p> <p>Fibralux MR Grey: Super Matt - Meteor Grey Super Matt - Mercury Grey Matt Modern Concrete</p>	<p>Fibralux MR Prime</p>	<p>Fibromax Paint</p> <p>Fibromax MR Paint</p> <p>Fibromax Pro Paint</p>	<p>Fibralux NAF</p> <p>Fibralux MR NAF</p> <p>Fibralux MR FR NAF</p>
<p>Fibrabel Black</p> <p>Fibrabel Black LF+</p>		<p>Fibrabel Prime</p> <p>Fibrabel MR Prime</p>	<p>Fibrofit Prime</p> <p>Fibrofit Paint</p>	



MDF STANDARD



FIBRABEL®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
8	90	32941	1,44	90	32953	1,80
9	80	32942	1,42	80	32954	1,78
10	72	32943	1,40	72	32955	1,75
12	60	32944	1,34	60	32956	1,67
15	50	32945	1,39	50	32957	1,74
16	45	32946	1,34	45	32958	1,67
18	40	32947	1,33	40	32959	1,67
19	40	32948	1,37	40	32960	1,71
22	32	32949	1,28	32	32961	1,60
25	28	32950	1,27	28	32962	1,59
28	24	32951	1,23	24	32963	1,53
30	24	31776	1,31	24	32964	1,64
38	20	30884	1,38	20	30885	1,73

Thickness (mm)	1310x3050 mm			1250x2500 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
16	45	32966	1,79			
18	40	31777	1,79	50	32965	1,70
22	32	32968	1,72			
28	24	32969	1,65			
38	20	32970	1,85			

Thickness (mm)	2200x3660 mm			2200x4150 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	45	32977	2,41			
12	38	32978	2,33			
16	28	32979	2,29	25	42807	2,34
19	24	32980	2,33	20	42806	2,22
22	20	32981	2,22			
25	18	32982	2,27			
30	15	32983	2,27			
40	12	32984	2,41			

FIBRABEL® LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI



Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	44847	1,34	60	44850	1,67
16	45	44848	1,34	45	44851	1,67
18	40	45103	1,33	40	45104	1,67
19	40	44849	1,37	40	44852	1,71



FIBROFIT®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	100	4078	1,71	100	4066	2,14
10	90	6501	1,66			
12	75	4079	1,66	75	4088	2,07
15	60	6912	1,65	60	7693	2,07
16	60	4089	1,76	60	4119	2,20
18	50	3418	1,65	50	3471	2,07
19	50	10096	1,74			
22	40	6527	1,62			
25	32	10127	1,47			

Thickness (mm)	2070x2800 mm			1310x3060 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18				44	21956	1,97
19	29	42931	2,01			





MDF STANDARD - ULTRALIGHT

FIBRABEL® ULTRALIGHT



- Ultralight density
- UL2-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			2200x3660 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	32875	1,19	60	32931	1,48			
15	50	32876	1,23	50	32932	1,54			
18	40	32877	1,18	40	32933	1,48			
19							24	32938	2,07
25	28	32928	1,15						
38	20	32930	1,24	20	32935	1,56			



MDF STANDARD - HIGH DENSITY



FIBRALUX®



- High density
- MDF.LA (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
3	240	31778	1,74			
4	192	32986	1,80			
6	120	32987	1,79	120	33000	2,24
8	90	32988	1,70	90	33001	2,13
10	72	32990	1,61	72	33002	2,02
12	60	32991	1,59	60	33003	1,99
15	50	32992	1,63	50	33004	2,04
16	45	32993	1,57	45	33005	1,97
18	40	32994	1,57	40	33006	1,96
19	40	32995	1,62	40	33007	2,02
22	32	32996	1,47	32	33008	1,84
25	28	32997	1,46	28	33009	1,83
28				24	33010	1,76
30				24	33011	1,88



FIBRALUX® NAF



- High density
- MDF.LA (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	33129	1,66	80	33134	2,07
12	60	33130	1,61	60	33135	2,02
16	45	42811	1,58	45	42812	1,98
18	40	33131	1,58	40	33136	1,97
19	40	42813	1,66	40	42814	2,08

FIBROMAX®



- High density
- MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	138	6498	2,02	99	21950	1,83			
9	88	2312	1,84						
10	84	2314	1,93				44	42933	2,01
12	68	2315	1,87	68	2340	2,34	38	42934	2,07
16	52	2320	1,85	52	2342	2,32	29	42935	2,06
18	44	2323	1,77	44	6523	2,21	25	2959	1,97
19	44	2327	1,86	44	2345	2,33	24	42936	2,02
22	36	2329	1,74	36	2346	2,18	21	42937	2,01



MDF STANDARD - HIGH DENSITY

FIBROMAX® PRO



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
3	100	42970	1,42
6	74	42924	2,03
8	60	42925	2,05
10	51	42926	2,01
12	43	42927	2,04
16	32	42928	2,02
19	24	42929	1,81
22	23	42930	1,99
25	21	42923	2,06

FIBROMAX® PRO FI LF+



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm			2070x4100 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	74	44912	2,03			
8	60	44913	2,05	51	45032	2,57
10	51	44542	2,01	44	44548	2,56
12	43	44543	2,04	36	44550	2,52
16	32	44544	2,02	27	44551	2,51
19	24	44545	1,81	23	44552	2,54
22	23	45049	1,99	20	45030	2,55
25	21	45029	2,06	18	45031	2,60
28	20	45098	2,01	18	45101	2,65
30	17	45097	1,84	15	45100	2,38
38	15	45099	2,04			

FIBROMAX® PRO LF



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2280 mm		
	#/Pack	Article	Weight/Pack
10	90	42932	1,67



MDF MOISTURE RESISTANT (MR)



FIBRABEL® MR



- Standard density
- L-MDF.H (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	33055	1,36	60	33060	1,70			
15	50	33056	1,41	50	33061	1,77			
18	40	33057	1,35	40	33062	1,69	40	33065	1,82
22	32	33058	1,32	32	33063	1,66			
38	20	33059	1,42	20	33064	1,78	20	42808	1,91



FIBRALUX® MR



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1220x2150 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	120	30893	1,79	120	30895	2,24						
9	80	30894	1,64	80	30896	2,05						
12	60	33035	1,59	60	33043	1,99						
15	50	33036	1,63	50	33044	2,04						
16	45	33037	1,57	45	33045	1,97				45	33053	2,11
18	40	33038	1,57	40	33046	1,96	40	42809	1,38			
19	40	33039	1,65	40	33047	2,07						
22	32	33040	1,51	32	33048	1,89				32	33054	2,03
25	28	33041	1,50	28	33049	1,88						
30	24	33042	1,55	24	33050	1,93						



FIBRALUX® MR NAF



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	42874	1,66	80	42870	2,07
12	60	42871	1,61	60	42875	2,02
16	45	42869	1,58	45	42876	1,98
18	40	42872	1,58	40	42877	1,97
19	40	42873	1,66	40	42878	2,08



MDF MOISTURE RESISTANT (MR)

FIBROFIT® MR



- Standard density
- L-MDF.H (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	75	10032	1,66	75	10238	2,07
15	60	10043	1,65			
18	50	8998	1,65	50	7638	2,07

FIBROMAX® MR



- High density
- MDF.H (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	68	3414	1,87	68	3453	2,34			
15	56	10235	1,80	56	10236	2,34			
16	52	2321	1,85	52	2968	2,32			
18	44	2324	1,77	44	2344	2,21	25	45035	1,97
19	44	45033	1,86						
22	36	6530	1,74	36	3898	2,18			

FIBROMAX® MR UNCOLOURED



- High density
- MDF.H (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
12	38	45034	2,01
16	29	29151	2,06
19	24	42983	1,97
22	21	29943	2,01



MDF FIRE RETARDANT (FR)

FIBRABEL® FR



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
12	60	30887	1,42	60	30890	1,78				B-s2-d0
15	50	30888	1,46	50	30891	1,82				B-s1-d0
18	40	30889	1,40	40	30892	1,75	40	42810	1,87	B-s1-d0

FIBRABEL® FR WHEELMARK



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 / Wheelmark

Thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
15	50	33031	1,46	50	33033	1,82	B-s1-d0
18	40	33032	1,40	40	33034	1,75	B-s1-d0

FIBRABEL® FR UNCOLOURED



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	2070x2800 mm			2200x3660 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10				45	33241	2,48	B-s2-d0
12				38	33242	2,48	B-s2-d0
16	40	33239	2,43	28	33245	2,40	B-s1-d0
19	30	33240	2,11	24	33246	2,44	B-s1-d0
25				18	33243	2,41	B-s1-d0

FIBRALUX® FR



- High density
- MDF.LA FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102


Thickness (mm)	1220 mm x 2440 mm			1220x3050 mm			2200 mm x 3660 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
6	120	30799	1,82	120	30849	2,27				B-s2-d0
9	80	30800	1,68	80	30850	2,10				B-s2-d0
12	60	30801	1,64	60	30851	2,05				B-s1-d0
15	50	30802	1,68	50	30852	2,10				B-s1-d0
16	45	30803	1,61	45	30853	2,02				B-s1-d0
18	40	30804	1,61	40	30854	2,01				B-s1-d0
19	40	30805	1,66	40	30855	2,08	24	30860	2,81	B-s1-d0
22	32	30806	1,53	32	30856	1,92				B-s1-d0
25	28	30807	1,52	28	30857	1,91				B-s1-d0
30	24	30848	1,57	24	30858	1,96				B-s1-d0



MDF FIRE RETARDANT (FR)


FIBRALUX® FR WHEELMARK



	<ul style="list-style-type: none"> High density MDF.LA FR (EN622-5) 			<ul style="list-style-type: none"> Certificates: E1 (EU) / CARB II / EPA TSCA VI Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 / Wheelmark 						
	1220x2440 mm			1220x3050 mm			2200x3660 mm			Euroclass
Thickness (mm)	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
12	60	33013	1,64	60	33021	2,05				B-s1-d0
15	50	33014	1,68	50	33022	2,10				B-s1-d0
16	45	33015	1,61	45	33023	2,02				B-s1-d0
18	40	33016	1,61	40	33024	2,01				B-s1-d0
19	40	33017	1,66	40	33025	2,08	24	33029	2,81	B-s1-d0
22	32	33018	1,53	32	33026	1,92				B-s1-d0
25	28	33019	1,52	28	33027	1,91				B-s1-d0
30	24	33020	1,57	24	33028	1,96				B-s1-d0

FIBRALUX® FR BLACK



	<ul style="list-style-type: none"> High density MDF.LA FR (EN622-5) 			<ul style="list-style-type: none"> Certificates: E1 (EU) / CARB II / EPA TSCA VI Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 							
	1220x2440 mm			1220x3050 mm			1310x3050 mm			2550x6120 mm	Euroclass
Thickness (mm)	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack		
9	72	44445	1,69	72	46747	2,11				cut to order	B-s2-d0
12	60	43461	1,64	60	43462	2,05				cut to order	B-s2-d0
16	45	43463	1,61	45	43464	2,02				cut to order	B-s1-d0
18	40	43465	1,61	40	43466	2,01	40	44727	2,01	cut to order	B-s1-d0
19	40	43551	1,66	40	43552	2,08				cut to order	B-s1-d0


MOQ: 25 panels

MOQ: 20 panels

MOQ: 20 panels

FIBRALUX® MR FR NAF



	<ul style="list-style-type: none"> High density MDF.H FR (EN622-5) 			<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 						
	1220x2440 mm			1220x3050 mm			2070x2800 mm			Euroclass
Thickness (mm)	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10	72	44374	1,69	72	44375	2,11				B-s1-d0
12	60	33139	1,64	60	33143	2,05				B-s1-d0
16	45	33140	1,61	45	33144	2,02	40	44432	2,86	B-s1-d0
18	40	33141	1,61	40	33145	2,01				B-s1-d0
19	40	33142	1,66	40	33146	2,08	30	44433	2,57	B-s1-d0
25	28	44376	1,56	28	44377	1,94				B-s1-d0
30	24	44428	1,66	24	44429	2,12				B-s1-d0



MDF COLOURED IN CORE

FIBRABEL® BLACK



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18	40	45036	1,42	40	45037	1,76	40	45048	1,91

FIBRABEL® BLACK LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	60	44853	2,28
12	50	44854	2,27
16	40	44855	2,42
18	30	44856	2,06
19	30	44857	2,17
22	25	44858	2,09
25	22	44859	2,09
30	19	44860	2,17

FIBRALUX® MR BLACK



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	120	30866	1,79	120	30874	2,24			
9	80	30867	1,68	80	30875	2,10			
10									
12	60	30868	1,64	60	30876	2,05			
16	45	30869	1,61	45	30877	2,02			
18	40	30870	1,61	40	30878	2,01	40	42818	2,16
19	40	30871	1,66	40	30879	2,08			
22	32	30872	1,55	32	30880	1,94			
25	28	30873	1,55	28	30881	1,93			



MDF COLOURED IN CORE

FIBRALUX® MR GREY



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	33100	1,64	60	33104	2,05
16	45	33101	1,61	45	33105	2,02
18	40	33102	1,61	40	33106	2,01
19	40	33103	1,66	40	33107	2,08

FIBRALUX® FR BLACK



- High density
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- MDF.LA FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm			2550x6120 mm	Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack		
9	72	44445	1,69	72	46747	2,11				cut to order	B-s2-d0
12	60	43461	1,64	60	43462	2,05				cut to order	B-s2-d0
16	45	43463	1,61	45	43464	2,02				cut to order	B-s1-d0
18	40	43465	1,61	40	43466	2,01	40	44727	2,01	cut to order	B-s1-d0
19	40	43551	1,66	40	43552	2,08				cut to order	B-s1-d0

MOQ: 25 panels

MOQ: 20 panels


MOQ: 20 panels



MDF LACQUERED COLOURED IN CORE


FIBRALUX® MR BLACK SUPER MATT



	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI Fingerprint proof & soft touch and protective plastic foil on both sides 	
	1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack
18	20	400057451	1,01
19	20	400057450	1,01


FIBRALUX® MR GREY SUPER MATT - METEOR GREY



	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI Fingerprint proof & soft touch and protective plastic foil on both sides 	
	1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack
18	20	400072812	1,01
19	20	400072811	1,01


FIBRALUX® MR GREY SUPER MATT - MERCURY GREY



	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI Fingerprint proof & soft touch and protective plastic foil on both sides 	
	1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack
18	20	400072813	1,01
19	20	400072814	1,01

FIBRALUX® MR BLACK SATIN



	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI Silk gloss laquer and protective plastic foil on both sides 	
	1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack
18	20	400072708	1,01
19	20	400072719	1,01



MDF LACQUERED COLOURED IN CORE

FIBRALUX® MR BLACK HIGH GLOSS



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- MDF.HLS (EN622-5)
- High gloss laquer and protective plastic foil on both sides

Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
18	20	400072697	1,01
19	20	400072698	1,01

FIBRALUX® MR GREY MATT - MODERN CONCRETE



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- MDF.HLS (EN622-5)
- Concrete decor & matt lacquered with protective foil on both sides


Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
18	20	400072867	1,01



MDF READY TO PAINT




FIBRABEL® PRIME

 <ul style="list-style-type: none"> Standard density L-MDF (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI White primer coating on both sides 					
	1220x2440 mm			1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	400032234	1,44			
12	60	400032235	1,35			
16	45	400032232	1,34			
18	40	400032220	1,34	40	400032209	1,68




FIBRABEL® MR PRIME


 <ul style="list-style-type: none"> Standard density L-MDF.H (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI White primer coating on both sides 					
	1220x2440 mm			1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18	40	400032236	1,34	40	400032237	1,68



FIBRALUX® MR PRIME

 <ul style="list-style-type: none"> High density MDF.HLS (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI White primer coating on both sides 		
	1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack
12	60	400032238	2,01
18	40	400032231	1,97

FIBROFIT® PRIME

 <ul style="list-style-type: none"> Standard density L-MDF (EN622-5) 	<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV White primer coating on both sides 					
	1220x2440 mm			1220x3050 mm		
Thickness (mm)	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	400017971	1,40			
12	60	400017999	1,30	60	400018093	1,60
16	45	400018090	1,30			
18	40	400018091	1,30	40	400018095	1,60




MDF READY TO PAINT


FIBROFIT® PAINT

	<ul style="list-style-type: none"> Standard density L.MDF (EN622-5) Certificates: E1 (EU) / ChemVerbotsV 					
Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	42	123472	0,80	42	113645	1,00
12	42	123473	1,00			
16	42	123471	1,30			
18	42	123470	1,50	30	123468	1,30


FIBROMAX® PAINT

	<ul style="list-style-type: none"> High density MDF (EN622-5) Certificates: E1 (EU) / ChemVerbotsV 		
Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
19	24	123467	2,10

FIBROMAX® PRO PAINT

	<ul style="list-style-type: none"> High density L.MDF (EN622-5) Certificates: E1 (EU) / ChemVerbotsV 		
Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
8	24	153604	1,00
10	24	153538	1,10
12	24	153539	1,20
16	24	153540	1,60
19	24	153541	1,90
22	20	153542	1,80
25	20	153543	2,00

FIBROMAX® MR PAINT


	<ul style="list-style-type: none"> High density MDF.H (EN622-5) Certificates: E1 (EU) / ChemVerbotsV 					
Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18	42	127553	1,80	42	122417	2,20



MDF NON-ADDED FORMALDEHYDE (NAF)


FIBRALUX® NAF



	<ul style="list-style-type: none"> High density MDF.LA (EN622-5) Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF 					
Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	33129	1,66	80	33134	2,07
12	60	33130	1,61	60	33135	2,02
16	45	42811	1,58	45	42812	1,98
18	40	33131	1,58	40	33136	1,97
19	40	42813	1,66	40	42814	2,08


FIBRALUX® MR NAF



	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF 					
Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	42874	1,66	80	42870	2,07
12	60	42871	1,61	60	42875	2,02
16	45	42869	1,58	45	42876	1,98
18	40	42872	1,58	40	42877	1,97
19	40	42873	1,66	40	42878	2,08

FIBRALUX® MR FR NAF



	<ul style="list-style-type: none"> High density MDF.H FR (EN622-5) Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 									
Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10	72	44374	1,69	72	44375	2,11				B-s1-d0
12	60	33139	1,64	60	33143	2,05				B-s1-d0
16	45	33140	1,61	45	33144	2,02	40	44432	2,86	B-s1-d0
18	40	33141	1,61	40	33145	2,01				B-s1-d0
19	40	33142	1,66	40	33146	2,08	30	44433	2,57	B-s1-d0
25	28	44376	1,56	28	44377	1,94				B-s1-d0
30	24	44428	1,66	24	44429	2,12				B-s1-d0



COMPACT DENSITY FIBREBOARD

FIBROMAX[®] COMPACT MR BLACK



• Density > 1000 kg/m³


• Certificates: E1 (EU)


Thickness (mm)	1310x3060 mm		
	#/Pack	Article	Weight/Pack
6	30	46921	0,85
8	30	46922	1,13
10	30	46923	1,43
12	30	46924	1,69
13	30	46925	1,82

STOCK RANGE: SUBSTRATES FOR BONDING HPL


Panel size 1310x3050 mm / 1310x3060 mm




FIBRABEL®			
	<ul style="list-style-type: none"> Standard density L-MDF (EN622-5) Certificates: E1 (EU) / CARB II / EPA TSCA VI 		
Thickness (mm)	1310x3050 mm		
	#/Pack	Article	Weight/Pack
16	45	32966	1,79
18	40	31777	1,79
22	32	32968	1,72
28	24	32969	1,65
38	20	32970	1,85

FIBROFIT®			
	<ul style="list-style-type: none"> Standard density L-MDF (EN622-5) Certificates: E1 (EU) 		
Thickness (mm)	1310x3060 mm		
	#/Pack	Article	Weight/Pack
18	44	21956	1,97




FIBRABEL® MR			
	<ul style="list-style-type: none"> Standard density L-MDF.H (EN622-5) Certificates: E1 (EU) / CARB II / EPA TSCA VI 		
Thickness (mm)	1310x3050 mm		
	#/Pack	Article	Weight/Pack
18	40	33065	1,82
38	20	42808	1,91



FIBRALUX® MR			
	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) Certificates: E1 (EU) / CARB II / EPA TSCA VI 		
Thickness (mm)	1310x3050 mm		
	#/Pack	Article	Weight/Pack
16	45	33053	2,11
22	32	33054	2,03



FIBRABEL® FR				
	<ul style="list-style-type: none"> Standard density L-MDF FR (EN622-5) Certificates: E1 (EU) / CARB II / EPA TSCA VI Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 			
Thickness (mm)	1310x3050 mm			Euroclass
	#/Pack	Article	Weight/Pack	
18	40	42810	1,87	B-s1-d0

STOCK RANGE: SUBSTRATES FOR BONDING HPL

Panel size 1310x3050 mm / 1310x3060 mm



FIBRABEL® BLACK



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1310X3050 mm		
	#/Pack	Article	Weight/Pack
18	40	45048	1,91



FIBRALUX® MR BLACK



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1310X3050 mm		
	#/Pack	Article	Weight/Pack
18	40	42818	2,16

FIBROMAX® COMPACT MR BLACK



- Density > 1000 kg/m³
- Certificates: E1 (EU)

Thickness (mm)	1310x3060 mm		
	#/Pack	Article	Weight/Pack
6	30	46921	0,85
8	30	46922	1,13
10	30	46923	1,43
12	30	46924	1,69
13	30	46925	1,82



STOCK RANGE: PANEL SIZE 2070X2800 MM

FIBROFIT®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
19	29	42931	2,01

FIBROMAX®



- High density
- MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	44	42933	2,01
12	38	42934	2,07
16	29	42935	2,06
18	25	2959	1,97
19	24	42936	2,02
22	21	42937	2,01

FIBROMAX® PRO



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
3	100	42970	1,42
6	74	42924	2,03
8	60	42925	2,05
10	51	42926	2,01
12	43	42927	2,04
16	32	42928	2,02
19	24	42929	1,81
22	23	42930	1,99
25	21	42923	2,06

STOCK RANGE: PANEL SIZE 2070X2800 MM

FIBROMAX® PRO FI LF+



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
6	74	44912	2,03
8	60	44913	2,05
10	51	44542	2,01
12	43	44543	2,04
16	32	44544	2,02
19	24	44545	1,81
22	23	45049	1,99
25	21	45029	2,06
28	20	45098	2,01
30	17	45097	1,84
38	15	45099	2,04

FIBROMAX® MR



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
18	25	45035	1,97

FIBROMAX® MR UNCOLOURED



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
12	38	45034	2,01
16	29	29151	2,06
19	24	42983	1,97
22	21	29943	2,01

FIBRABEL® FR UNCOLOURED



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102



Thickness (mm)	2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	
16	40	33239	2,43	B-s1-d0
19	30	33240	2,57	B-s1-d0

STOCK RANGE: PANEL SIZE 2070X2800 MM

FIBRABEL® BLACK LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	60	44853	2,28
12	50	44854	2,27
16	40	44855	2,42
18	30	44856	2,06
19	30	44857	2,17
22	25	44858	2,09
25	22	44859	2,09
30	19	44860	2,17

FIBRALUX® MR FR NAF



- High density
- MDF.H FR (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF
- Fire classes: EN CLASS B / ASTM E84 CLASS 1 / CAN ULC S-102

Thickness (mm)	2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	
16	40	44432	2,86	B-s1-d0
18	30	44433	2,57	B-s1-d0

FIBROMAX® PAINT



- High density
- MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
19	24	123467	2,10

FIBROMAX® PRO PAINT



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
8	24	153604	1,00
10	24	153538	1,10
12	24	153539	1,20
16	24	153540	1,60
19	24	153541	1,90
22	20	153542	1,80
25	20	153543	2,00

STOCK RANGE: CHEMVERBOTSV COMPLIANT PRODUCTS (GERMANY)

FIBRABEL® LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	44847	1,34	60	44850	1,67
16	45	44848	1,34	45	44851	1,67
18	40	45103	1,33	40	45104	1,67
19	40	44849	1,37	40	44852	1,71

FIBROMAX® PRO FI LF+



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm			2070x4100 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	74	44912	2,03			
8	60	44913	2,05	51	45032	2,57
10	51	44542	2,01	44	44548	2,56
12	43	44543	2,04	36	44550	2,52
16	32	44544	2,02	27	44551	2,51
19	24	44545	1,81	23	44552	2,54
22	23	45049	1,99	20	45030	2,55
25	21	45029	2,06	18	45031	2,60
28	20	45098	2,01	18	45101	2,65
30	17	45097	1,84	15	45100	2,38
38	15	45099	2,04			

FIBRABEL® BLACK LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	60	44853	2,28
12	50	44854	2,27
16	40	44855	2,42
18	30	44856	2,06
19	30	44857	2,17
22	25	44858	2,09
25	22	44859	2,09
30	19	44860	2,17

STOCK RANGE: CHEMVERBOTSV COMPLIANT PRODUCTS (GERMANY)

LACQUERED COLOURED IN CORE



The complete lacquered coloured in core stock program is ChemVerbotsV compliant. (p.18)

READY TO PAINT



The complete ready to paint stock program is ChemVerbotsV compliant. (p.20)

STOCK RANGE: CHEMVERBOTSV COMPLIANT PRODUCTS (GERMANY)

FIBRALUX® NAF



- High density
- MDF.LA (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	33129	1,66	80	33134	2,07
12	60	33130	1,61	60	33135	2,02
16	45	42811	1,58	45	42812	1,98
18	40	33131	1,58	40	33136	1,97
19	40	42813	1,66	40	42814	2,08

FIBRALUX® MR NAF



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	42874	1,66	80	42870	2,07
12	60	42871	1,61	60	42875	2,02
16	45	42869	1,58	45	42876	1,98
18	40	42872	1,58	40	42877	1,97
19	40	42873	1,66	40	42878	2,08

FIBRALUX® MR FR NAF



- High density
- MDF.H FR (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF
- Fire classes: EN CLASS B / ASTM E84 CLASS 1 / CAN ULC S-102

Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10	72	44374	1,69	72	44375	2,11				B-s1-d0
12	60	33139	1,64	60	33143	2,05				B-s1-d0
16	45	33140	1,61	45	33144	2,02	40	44432	2,86	B-s1-d0
18	40	33141	1,61	40	33145	2,01				B-s1-d0
19	40	33142	1,66	40	33146	2,08	30	44433	2,57	B-s1-d0
25	28	44376	1,56	28	44377	1,94				B-s1-d0
30	24	44428	1,66	24	44429	2,12				B-s1-d0

UNILIN, division panels

UNILIN, division panels – part of the UNILIN group – has been supplying innovative wood based solutions for building and interior design projects since 1960. Our chipboard, medium density fibreboard (MDF), High-Density fibreboard (HDF), High Pressure Laminate (HPL) and melamine-faced boards find their way to merchants in building materials and timber, industrial processors and DIY-chains worldwide.

We develop solutions tailored to your specific needs with creativity and innovation as the key drivers of our business. We continuously invest in product design and new technologies. Hence, we're recognized as a leading international player and a reliable partner in our niche sector.

Our 1,300 employees give their all, day after day, at our production units in Belgium, France, Germany and the Netherlands. Altogether we produce 2.1 million m³ of panels per year.

The information provided is correct at the time of printing. For the most recent version of our stocklist, please consult our website.

FSC®/PEFC™

All articles in this stock list can be ordered with FSC® or PEFC™ certificate. Contact our sales team for more information.

PRIME

We offer a flexible make-to-order program for "ready to paint" panels with white prime coating. Contact our sales team for more information

CAN BE ORDERED IN QUANTITIES SMALLER THAN FULL PACK

- "Spanolux Original" stock references in panel width 1220 & 1310 mm (except Fibralux 3 & 4 mm and 'Prime' panels)
- Fibromax Compact MR Black stock references

NON-STANDARD

For non-standard panel types & sizes, Unilin has flexible presses & high-capacity saws that support all sawing dimensions. In principle, all thicknesses and lengths / widths are possible within the press & saw capabilities.

FREE SAMPLE SERVICE

Of all stock grades, samples are available. Contact our sales team for more information or visit www.unilinpanels.com

AND ORDER YOUR FREE SAMPLE NOW!



FOLLOW UNILIN PANELS ON



Ingelmunstersteenweg 229, 8780 Oostrozebeke - Belgium
T +32 56 66 70 21 - F +32 56 66 82 25
info.panels@unilin.com - www.unilinpanels.com